

## Maryland Referral Form Ambulatory Monoclonal Antibody Infusion Treatment for COVID-19

If your patient could benefit from monoclonal antibody treatment, please complete the information below. This form should be sent to the infusion site with closest proximity to the patient and follow the referral process as noted below according to the appropriate site. The Infusion Site will review the referral form upon receipt and contact the patient to coordinate services as soon as possible.

Region 1: UPMC Western Maryland Hospital		Email form to WMD-COVIDantibody@upmc.edu		
Region 2: Meritus Regional Infusion Center		Fax form to 301-790-9229		
Region 3: Baltimore Convention Center Field		Go to umms.org/ICReferral to submit form via		
Hospital		secure, HIPAA-compliant upload.		
Region 3: Hatzalah of Baltimo	re	Go to Hatzalah Infusion Center Referral Form to		
		submit via secure link or email to		
		covidtherapy@hat	zalahbaltimore.org	
Region 4: TidalHealth Peninsula Regional		Email form to <u>COVIDTX@TidalHealth.org</u> or		
		Fax: 410-912-4959		
Region 4: Atlantic General Hospital		Fax form to 410-641-9708		
Region 5: Adventist HealthCa	re Takoma Park	Fax form to 301-891-6120		
Alternative Care Site Infusion Center				
Region 5: Medstar Health Infusion Center		Fax form to 443-58	33-0651	
**First Name:		** Last Name:		
**DOB:		Age:		
**Sex: 🗆 M 🛛 F 🗆 Other 🗆 Unknown				
**Patient's Preferred Language	e 🗌 English	Spanish	Other	
**Address Line 1:				
Address Line 2:				
City:	State:	County:	**Zip:	
County:				

\*\*Phone:

Allergies (medication/food/other):

Please include any additional historical patient health information. You may free text, copy/paste, or you may attach a recent clinic note or other documentation, as necessary.

Secondary Phone:

□ cell □ home

□ cell □ home

**Weight (lbs):	Kg:	**Height (feet	/inches):	BMI:
**Patient has had a re Note: Test must be fi			tigen Positive Test Resul	t: 🗆 Yes 🗌 No
** SARS-CoV2 PCR or	Rapid Antigen te	st date (date spe	cimen was obtained):	
**SARS-CoV2 sympto	om onset date (b	est approximatio	on):	
**Patient Symptoms	(check all that ap	ply):		
🗆 Fever	🗆 Cough		Loss of taste/smell	Malaise/Fatigue
<ul> <li>Nausea/Vomiting</li> <li>Headache</li> </ul>			□ Congestion	🗆 Myalgia
			spitalization due to need	d for supplemental O2 and
thus would not be app				
🗆 On RA or 🗆 On chr	onic O2 therapy -	– Baseline O2 Flo	w rate:	
Has the patient requir	red an increase ir	n O2 flow rate sir	nce becoming symptoma	tic with COVID? $\Box$ Yes $\Box$ No
**High Risk for Sever	e COVID Illness (	check all that ap	ply, continued on page	three):
□ Age ≥ 65 y/o		$\square$ BMI $\ge$ 35	Diabetes Me	llitus 🗆 Type II 🛛 🗆 Type I
CKD Disease Sta				
	_	ukemia, lymphon	na, asplenia, neutropenia	a, AIDS if CD4 < 200, etc.) /
Specify:				
• •		chronic steroid,	chemotherapeutic, biolo	ogic immunomodulator) /
Specify:				
□ Age $\geq$ 55 y/o and:				
<ul> <li>Cardiovascular Dise</li> <li>HTN</li> </ul>	ase / Specify (e.g	. CAD, CVD, PVD	, cardiomyopathy):	
Other Chronic Resp	iratory Disease (e	e.g. Pulmonary Sa	arcoid, Pulmonary Fibros	sis) / Specify:
□ <u>Age 12 – 17 y/o and</u>				
<ul> <li>□ BMI ≥85th percentil</li> <li>□ Sickle Cell Disease</li> </ul>	le for their age ai	nd gender based	on CDC growth charts	
Congenital or acqui	red heart disease	/ Specify:		
			— iuscular dystrophy) / Spe	ecifv:
	hnological deper			nunt dependence, chronic
		 ronic Respiratory	v Disease Requiring daily	medication for control /
Specify:				

## The (\*\*) indicates a required field.

I, the referring provider, am the patient's PCP or other continuity provider and have arranged for the patient to follow up with me/my designee following Antibody infusion. Or I am an ED or Urgent Care provider who will update the patient's PCP about his/her Antibody infusion in order to arrange follow up. If the patient does not have a PCP, I will refer him/her to an appropriate provider and ensure that follow up has been arranged. [Note: Ideal timing of follow up visit is approximately 7 days post-infusion.]

\*\* Indicates Provider Agreement

I, the referring provider, have advised or will advise the patient that if his/her clinical status declines by the time of the infusion appointment, the treatment may no longer be appropriate for him/her. The patient's clinical status will be re-evaluated at the infusion center at the appointment time. If the patient is deemed in need of hospital care, s/he will be referred immediately.

\*\* Indicates Provider Agreement

## **\*\*** Please provide the following information:

□ If patient meets the above criteria give bamlanivimab 700 mg IV times 1 dose over 60 minutes OR Casirivimab 1200 mg/Imdevimab 1200 mg IV times 1 dose over 60 minutes (depending on supply/infusion site protocol).

Provider Signature	Date
FIOVILLEI SIGNALULE	

The Infusion Center staff will communicate with the referring provider regarding such matters as treatment inappropriateness for patient, ultimate completion of treatment for patient, adverse events, etc.

Name of Referring Site: Address:	Point of Contact:
Phone Number:	Fax Number:
Email address:	Preferred mode of contact:  Phone  Fax  Email

Patient's Primary/Continuity Care Provider (if different from above)Office Name:Address:Phone Number:Email address:Fax Number:

There are two Antibody treatments on our formulary. Patients will be scheduled for one or the other treatment based on availability of medications and logistics.

Information about both monoclonal antibody medications, including Fact Sheets and Manufacturer Instructions/Package Inserts for Healthcare Providers and for Patients/Parents/Care Givers, can be found at <u>https://www.fda.gov/emergency-preparedness-and-response/mcm-legal-regulatory-and-policy-</u> <u>framework/emergency-use-authorization#coviddrugs</u> (scroll to section on Drugs and Biologic Products).

The (\*\*) indicates a required field.